



春欧亚 团 份有 公司

2025 年年度报告

提示



[illegible]

第二 公司简介和主 务指标

[illegible]

第三 管理层 与分析

S INPREFAM



LGY Ñus W



/

第四 公司治理、环境和社会



	PE F,\$% œ




Ö

h


le


u

第五 事



第六 份变动及 东情况





第七 债券相关情况

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

)à €£D\

...

000% 000%

[illegible]

[illegible]

[illegible]

[illegible]



○
○
○

○
○
○
○
○

○
○

○

○

OC

A stylized logo consisting of a solid black triangle pointing downwards, positioned above a large, bold, black letter 'F'. The 'F' is composed of a thick vertical stem and two horizontal bars of equal thickness. The entire logo is centered at the top of the page.

Figure 1. Schematic representation of the experimental setup. The laser beam is focused on the sample, and the scattered light is collected by the detector. The sample is a thin film of the polymer solution. The incident beam is at an angle θ_i and the scattered beam is at an angle θ_s . The detector is at a distance R from the sample. The scattered light intensity is measured as a function of the scattering angle θ .

[illegible]

--	--	--	--	--	--	--

--	--	--


„Bí Ø Å Ó 45 Ъ С” • ”%0„ ×

[illegible][illegible]

PO 5754 IZ C0d 2, Q ^AASB2 104 400 # R 017 PMQ2 010 X
\$ 100 100 220 0E 10

BRQ

--	--	--



--	--	--

--	--	--	--	--	--	--	--

Pe €òï

[illegible]

[illegible]

[illegible]

...Öý 1Öý

[illegible]

[illegible]

